

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	9379	((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 analy\$4 anali\$4 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5 gaug\$3 judg\$3) near2 pulse near2 (amplitude magnitude height)) and @ad<"20040827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:23
L8	0	l7 and ((pre\$1select\$3 pre\$1determin\$3 pre\$1defin\$3 specif\$5 pre\$1set\$4 maximum minimum limit threshold reference) adj2 voltage) with \$4equidistan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:25
L9	0	(324/76.16.ccls.) and @ad<"20040827" and @pd>"20080729"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:27
L10	0	(324/76.13.ccls.) and @ad<"20040827" and @pd>"20080729"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:27
L11	0	(324/76.12.ccls.) and @ad<"20040827" and @pd>"20080729"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:28
L12	3	(324/76.11.ccls.) and @ad<"20040827" and @pd>"20080729"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:28

L13	2	l7 and ((pre\$1select\$3 pre\$1determin\$3 pre\$1defin\$3 specif\$5 pre\$1set\$4 maximum minimum limit threshold reference) adj2 voltage) same \$4equidistan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:29
L14	1	((pre\$1select\$3 pre\$1determin\$3 pre\$1defin\$3 specif\$5 pre\$1set\$4 maximum minimum limit threshold reference) adj2 voltage) with non \$1equidistan\$3) and @ad<"20040827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:34
L15	1	((pre\$1select\$3 pre\$1determin\$3 pre\$1defin\$3 specif\$5 pre\$1set\$4 maximum minimum limit threshold reference) adj2 voltage) same non \$1equidistan\$3) and @ad<"20040827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:41
L16	1	((pre\$1select\$3 pre\$1determin\$3 pre\$1defin\$3 specif\$5 pre\$1set\$4 maximum minimum limit threshold reference) adj2 voltage) with non \$1equidistan\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:42
L17	1	((pre\$1select\$3 pre\$1determin\$3 pre\$1defin\$3 specif\$5 pre\$1set\$4 maximum minimum limit threshold reference) adj2 voltage) same non \$1equidistan\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 14:42
L24	1069	((pre\$1select\$3 pre\$1determin\$3 pre\$1defin\$3 specif\$5 pre\$1set\$4 maximum minimum limit threshold reference) adj2 voltage near2 comparator) with (\$4equidistan\$3 interval range width distance)) and @ad<"20040827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 15:25

L25	17	l7 and (((pre\$ lselect\$3 pre \$1determin\$3 pre\$1defin \$3 specif\$5 pre\$1set\$4 maximum minimum limit threshold reference) adj2 voltage near2 comparator) with (\$4equidistan\$3 interval range width distance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/21 15:25
-----	----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------	----	----	---------------------

2/21/09 6:44:31 PM

C:\Documents and Settings\hnguyen26\My Documents\EAST\Workspaces\10570150.wsp